

## **Arab Center**

For Engineering Studies

## JOINT QUALIFICATION FOR VARIOUS SOCKETS

ge		

ACES Client	Qatar German Pipes W.L.L. (QGPC)	Report No.	TMR19054293
Owner	Abdulla Salem Al Sulaiteen	Date Reported	04-11-19
PMC	N/A	Sample No.	TMS19026041
Project Client	ASHGHAL APPROVAL	Request No.	TMQ19016829
Consultant	N/A	Client Reference	Full paymnet in advance
Contractor	N/A	Project No.	-
Project Name	Private		
Sample Description	PRC Manhole with Various Scoket	Sample Located By	N/A
Source	N/A	Sampled By	ACES' Rep.
Sample Location	Qatar German Pipes W.L.L. (QGPC)	Sampling Date	22-10-19

Sample Location	Qatar German Pipes W.L.L. (QGPC)	Sampling Date	22-10-19
Sample Reference	N/A	Sampling Cert.	N/A
Lot No.	N/A	Sampling Method	
Lot Size	N/A	Sample Size	See Below
Initial Sample Prep.	-	Sample Brt. In By	ACES' Rep.
Sample Preparation	-	Date Received	22-10-19
Test Method	BSEN 14636-2 Annex F (BSEN 295-3, BSEN 295-1, DIN54815-2	Date Tested	22-10-19

Tested By

Bles / Sunday

Test Method Var. Note: N.P. indicates information not provided by the Client

N/A: Not Applicable

## Test Result:

Description	Value	Units	Observation
	EXFILTRA	TION TEST	
Test Duration	15	Minutes	Tested with 2 dgrees of deflection with plastic corrugated pipe connected to QGPC made GRP socket and found no signs of Leakage, damp patches or
Test Pressure (Positive)	1	Bar	
Test Media	Water		droplets. So the manhole has passed the test
	INFILTRA	TION TEST	
Test Duration	15	Minutes	Tested with 2 dgrees of deflection with plastic corrugated pipe connected to QGPC made GRP socket and found no signs of damage to its components
Test Pressure (Negative)	-0.8	Bar	
Test Media	Air		nor exhibit a change in pressure So the manhole has passed the test

Conclusion: Tested with 2 degrees of deflection on Plastic Corrugated Pipe connected to the manhole which was fixed with Clay Pipe, HDPE Solid Wall Pipe, UPVC Pipe and GRP Pipe and found no signs of damage to its components nor exhibit a change in pressure so the manhole has passed the test. so QGPC PRC manhole can be connected to Corrugated Pipe, Clay Pipe, HDPE Solid Wall Pipe, UPVC Pipe and GRP Pipe.

Remarks: The test results related only to the specimen(s) tested.

This test report shall not be reproduced except in full, without written approval from ACES
Tested by ACES technicians using (QGPC) facilities.







